City of Casper Floodplain Placement of Fill Certificate

Permit #:	FP	Owner's Name:	1.0000
Property N	Nam	e or Address:	
		y that the fill placed on the property to raise the ground surface elevation to or abo year) flood elevation meets the criteria listed below.	ve
	9	That the fill has been compacted to 95 percent of the maximum density obtainable with the Standard Proctor Test method or an acceptable equivalent method for: (check one of the following)	ĵ
		a. Fill pads prepared for the foundations of residential or commercial structures.	
		b. Entire legally defined parcel (Note: if the location of fill pads has not been determined, the fill over the entire legally defined parcel must be compacted to the above criteria).	
		That fill slopes for granular materials are not steeper than one vertical on one-and-one-half norizontal (steeper slopes must be justified); and	
	(f \ a	That adequate erosion protection is provided for fill slopes exposed to moving flood waters slopes exposed to flows with velocities of up to 5 feet per second (fps) during the 100-year lood must, at a minimum, be protected by a permanent cover of grass, vines or similar regetations; slopes exposed to flows with greater than 5 fps during the 100-year flood must as a minimum, be protected by appropriately designed stone, rock, concrete, or other durable products).	
v		Name (print ot type)	
		a seement of description of the seement of the seem	
		Signature	
		Date	